


UK Type Examination Certificate CML 21UKEX1040U Issue 0**United Kingdom Conformity Assessment**

- 1 Component Intended for use in Potentially Explosive Atmospheres
UKSI 2016:1107 (as amended) – Schedule 3A, Part 1
- 2 Component **ARMR and ARFR Range of 90° Adaptors and Reducers**
AEMF and AEFF Range of 45° Adaptors and Reducers
ATMF and ATFF Range of 30° Adaptors and Reducers
- 3 Manufacturer **Peppers Cable Glands Limited**
- 4 Address **Stanhope Road,**
Camberley, Surrey
GU15 3BT
United Kingdom
- 5 The component is specified in the description of this certificate and the documents to which it refers.
- 6 Eurofins E&E CML Limited, Newport Business Park, New Port Road, Ellesmere Port, CH65 4LZ, United Kingdom, Approved Body Number 2503, in accordance with Section 43 of the Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016, UKSI 2016:1107 (as amended), certifies that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Schedule 1 of the Regulations.

The examination and test results are recorded in the confidential reports listed in Section 12.
- 7 The 'U' suffix after the certificate number indicates that the component is subject to limitations (affecting correct installation or safe use). These are specified in Section 14.
- 8 This UK Type Examination certificate relates only to the design and construction of the specified component. Further requirements of the Regulations apply to the manufacturing process and supply of the product. These are not covered by this certificate.
- 9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the confidential report, has been demonstrated through compliance with the following documents:

EN IEC 60079-0:2018	EN 60079-1:2014
EN IEC 60079-7:2015+A1:2018	EN 60079-31:2014
- 10 The equipment shall be marked with the following:
 Refer to attached certificate CML 19ATEX1091U, Issue 0 for specific marking of explosion protection symbols.

Refer to attached certificate CML 19ATEX1091U, Issue 0 for marked code and ambient temperature range.



CML 21UKEX1040U
Issue 0

11 Description

For product description refer to attached certificate CML 19ATEX1091U, Issue 0.

12 Certificate history and evaluation reports

Issue	Date	Associated report	Notes
0	09 Aug 2021	R136500/00	Issue of prime certificate. CML 19ATEX1091U, Issue 0 is attached and shall be referred to in conjunction with this certificate.

Note: Drawings that describe the component are listed or referred to in the Annex.

13 Conditions of Manufacture

For conditions of manufacture refer to attached certificate CML 19ATEX1091U, Issue 0.

Any routine tests/verifications required by the ATEX certification shall be conducted.

14 Schedule of Limitations

For schedule of limitations refer to attached certificate CML 19ATEX1091U, Issue 0.

Certificate Annex

Certificate Number CML 21UKEX1040U
Component ARMR and ARFR Range of 90° Adaptors and Reducers
AEMF and AEFF Range of 45° Adaptors and Reducers
ATMF and ATFF Range of 30° Adaptors and Reducers
Manufacturer Peppers Cable Glands Limited



The following documents describe the component defined in this certificate:

Issue 0

For drawings describing the component, refer to attached certificate CML 19ATEX1091U. In addition to the drawings listed on CML 19ATEX1091U, the following drawings include the additional marking required for this UK Type Examination certification:

Drawing No	Sheets	Rev	Approved date	Title
PCG/UCA/MLAA	1 of 1	1	27 Jul 2021	PEPPERS PRODUCT MARKING UKCA LABEL DETAILS FOR APPROVED ACCESSORY PRODUCTS